

Application No. Applicant(s) 10/797,766 CRAWLEY, TIMOTHY M. Notice of Allowability Examiner Art Unit 3726 Jermie Cozart -- The MAILING DATE of this communication appears on the cover sheet with the correspondence address--All claims being allowable, PROSECUTION ON THE MERITS IS (OR REMAINS) CLOSED in this application. If not included herewith (or previously mailed), a Notice of Allowance (PTOL-85) or other appropriate communication will be mailed in due course. THIS NOTICE OF ALLOWABILITY IS NOT A GRANT OF PATENT RIGHTS. This application is subject to withdrawal from issue at the initiative of the Office or upon petition by the applicant. See 37 CFR 1.313 and MPEP 1308. 1. This communication is responsive to . 2. The allowed claim(s) is/are 1 and 2. 3. Acknowledgment is made of a claim for foreign priority under 35 U.S.C. § 119(a)-(d) or (f). a) All b) ☐ Some* c) ☐ None of the: 1. Certified copies of the priority documents have been received. 2. Certified copies of the priority documents have been received in Application No. 3. Copies of the certified copies of the priority documents have been received in this national stage application from the International Bureau (PCT Rule 17.2(a)). * Certified copies not received: . . Applicant has THREE MONTHS FROM THE "MAILING DATE" of this communication to file a reply complying with the requirements noted below. Failure to timely comply will result in ABANDONMENT of this application. THIS THREE-MONTH PERIOD IS NOT EXTENDABLE. 4. A SUBSTITUTE OATH OR DECLARATION must be submitted. Note the attached EXAMINER'S AMENDMENT or NOTICE OF INFORMAL PATENT APPLICATION (PTO-152) which gives reason(s) why the oath or declaration is deficient. 5. CORRECTED DRAWINGS (as "replacement sheets") must be submitted. (a) including changes required by the Notice of Draftsperson's Patent Drawing Review (PTO-948) attached 1) hereto or 2) to Paper No./Mail Date (b) including changes required by the attached Examiner's Amendment / Comment or in the Office action of Paper No./Mail Date Identifying indicia such as the application number (see 37 CFR 1.84(c)) should be written on the drawings in the front (not the back) of each sheet. Replacement sheet(s) should be labeled as such in the header according to 37 CFR 1.121(d). 6. DEPOSIT OF and/or INFORMATION about the deposit of BIOLOGICAL MATERIAL must be submitted. Note the attached Examiner's comment regarding REQUIREMENT FOR THE DEPOSIT OF BIOLOGICAL MATERIAL. Attachment(s) 1. ☑ Notice of References Cited (PTO-892) 5. Notice of Informal Patent Application (PTO-152) 2. Notice of Draftperson's Patent Drawing Review (PTO-948) 6. Interview Summary (PTO-413), Paper No./Mail Date 3. Information Disclosure Statements (PTO-1449 or PTO/SB/08), 7. X Examiner's Amendment/Comment Paper No./Mail Date 4. Examiner's Comment Regarding Requirement for Deposit 8. Examiner's Statement of Reasons for Allowance of Biological Material 9. Other ____

EXAMINER'S AMENDMENT

1. An examiner's amendment to the record appears below. Should the changes and/or additions be unacceptable to applicant, an amendment may be filed as provided by 37 CFR 1.312. To ensure consideration of such an amendment, it MUST be submitted no later than the payment of the issue fee.

The application has been amended as follows:

In the specification,

Page 1, Line 7, - -which is now abandoned- - has been inserted after "October 29, 2001".

Page 9, *Line 4*, "19, 20, 23 to 25" has been changed to - -19, 20- -.

In the claims,

Claim 1, Line 7, "of" has been changed to - -of:- -.

Line 39, "cental" has been changed to - -central- -.

2. The following is an examiner's statement of reasons for allowance: Regarding claim 1, the prior art does not teach or suggest snapping the first piece into the second piece in a fixed position by moving one of the pieces in a direction of travel normal to the central section of the wire member such that the clip tab on each of the pieces each slide into one of the openings on the other of the pieces and snap into the one of said openings such that the clip tabs are spaced apart and alternate along a length of the central section such that the clip tab on the first piece extends in a first direction laterally past the central section, the clip tab on the second piece extends in a second direction opposite the first direction laterally past the central section, and the end of the tab on

Application/Control Number: 10/797,766 Page 3

Art Unit: 3726

the first piece is on a first side of the central section and the tab on the second piece is on a second side of the central section, the first side being opposite the second side, a portion of the central section nests in the arcuate groove, and the first and second pieces circumscribe the central section, in combination with the other claimed limitations; Regarding claim 2, the prior art does not teach or suggest each identical piece including at least first and second arcuate grooves spaced apart and each shaped to receive a different portion of the central section of the wire member such that each of the different portions of the central section nests in one of the grooves, and the arcuate grooves of the first piece alternate along the central section with the arcuate grooves of the second piece, the arcuate grooves of the first piece contacting a first side of the central section opposite a second side of the central section contacted by the arcuate grooves of the second piece, in combination with the other claimed limitations.

Any comments considered necessary by applicant must be submitted no later than the payment of the issue fee and, to avoid processing delays, should preferably accompany the issue fee. Such submissions should be clearly labeled "Comments on Statement of Reasons for Allowance."

Conclusion

3. Any inquiry concerning this communication or earlier communications from the examiner should be directed to Jermie Cozart whose telephone number is 571-272-4528. The examiner can normally be reached on Monday-Thursday, 7:30 am - 6:00 pm.

Application/Control Number: 10/797,766 Page 4

Art Unit: 3726

4. If attempts to reach the examiner by telephone are unsuccessful, the examiner's supervisor, Marc Jimenez can be reached on 571-272-4530. The fax phone number for the organization where this application or proceeding is assigned is 571-273-8300.

5. Information regarding the status of an application may be obtained from the Patent Application Information Retrieval (PAIR) system. Status information for published applications may be obtained from either Private PAIR or Public PAIR. Status information for unpublished applications is available through Private PAIR only. For more information about the PAIR system, see http://pair-direct.uspto.gov. Should you have questions on access to the Private PAIR system, contact the Electronic Business Center (EBC) at 866-217-9197 (toll-free).

JC November 18, 2005